


STANDARD REINFORCEMENT MESH

DENMARK



Standard reinforcement mesh is a standardized welded wire mesh, produced in different varieties.

Baustahlgewebe offers standard and special meshes in both grades. Normal ductility meshes made of cold-drawn wire as well as high ductility meshes made of hot-rolled wire with special ribbing.

PRODUCT SPECIFICATION

Grade	» B500A, B550A	or	B500B, B550B
Ductility	» Normal		High
Fabricated	» Standard or approval		
Availability	» From stock or on request		

STANDARD REINFORCEMENT MESH

DENMARK


TYPES AND DRAWINGS

DK MESHES



DK MESHES

Mesh type	Mesh size in m	Wire spacing in mm	Wire \varnothing in mm line/cross	Weight per mesh in kg	Items per bundle	Weight per bundle in kg
DK5150	5,00 x 2,35	150/150	5,0/5,0	24,63	50	1.231,00
DK6150	5,00 x 2,35	150/150	6,0/6,0	35,50	50	1.775,00
DK8150	5,00 x 2,35	150/150	8,0/8,0	63,16	30	1.895,00
DK10150	5,00 x 2,35	150/150	10,0/10,0	98,66	20	1.973,00
DK12150	5,00 x 2,35	150/150	12,0/12,0	141,99	10	1.420,00



STANDARD REINFORCEMENT MESH

DENMARK


TYPES AND DRAWINGS

DK LIMA MESHES



DK LIMA MESHES

Mesh type	Mesh size in m	Wire spacing in mm	Wire \varnothing in mm line/cross	Weight per mesh in kg	Items per bundle	Weight per bundle in kg
DK5150LIMA	2,50 x 1,50	150/150	5,0/5,0	7,78	50	389,00
DK6150LIMA	2,50 x 1,50	150/150	6,0/6,0	11,21	50	561,00
DK8150LIMA	2,50 x 1,50	150/150	8,0/8,0	19,95	40	798,00
DK10150LIMA	2,50 x 1,50	150/150	10,0/10,0	31,16	40	1.246,00



STANDARD REINFORCEMENT MESH

DENMARK



TYPES AND DRAWINGS

DK STZ MESHES



DK STZ MESHES

Mesh type	Mesh size in m	Wire spacing in mm	Wire ø in mm line/cross	Weight per mesh in kg	Items per bundle	Weight per bundle in kg
DK6150STZ	5,00 x 2,35	150/150	6,0/6,0	30,10	50	1.505,00
DK8150STZ	5,00 x 2,35	150/150	8,0/8,0	51,55	30	1.546,00
DK10150STZ	5,00 x 2,35	150/150	10,0/10,0	79,07	20	1.581,00
DK12150STZ	5,00 x 2,35	150/150	12,0/12,0	109,36	10	1.094,00



STANDARD REINFORCEMENT MESH

DENMARK

TYPES AND DRAWINGS

Q MESHES



Q MESHES

Mesh type	Mesh size in m	Wire spacing in mm	Wire \varnothing in mm line/cross	Weight per mesh in kg	Items per bundle	Weight per bundle in kg
Q188A	2,50 x 2,15	150/150	6,0/6,0	15,96	50	798,00
Q188A	5,00 x 2,15	150/150	6,0/6,0	32,40	50	1.620,00
Q335A	5,00 x 2,15	150/150	8,0/8,0	57,65	30	1.730,00

